

CERTIFICATE

of constancy of performance

1922 - CPR - 0445

In compliance with Regulation (EU) 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Container valve assemblies and their actuators - Type 2

(The relevant types and are characteristics described in Annex I which is an inseparable part of this certificate)

placed on the market under the name or trade mark of

OML S.r.l.

via Achille Grandi, 13/A - 60131 ANCONA, ITALY

and produced in the manufacturing plant of

OML S.r.l.

Via Sant'Andrea, 38, 20010 BAREGGIO, ITALY

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard


EN 12094-4:2004

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on 13.03.2014 and will remain valid until 19.06.2020 as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body. The certificate is supported through annual surveillance audit and is reissued after each surveillance audit. The validity of the certificate may be confirmed in the CE register at the web address www.dedal-bg.net.



Issued:
Burgas, 19 June 2019



Manager:



arch. Galina Vasileva

ANNEX I TO CERTIFICATE OF CONSTANCY OF PERFORMANCE 1922-CPR-0445/ 19.06.2019

Trade Mark	Code	Description	Gas	P max
OML	04P000	VFR CO2 3/4"	CO ₂	140 bar
OML	04P001	VFR CO2 1"	CO ₂	140 bar
OML	04P007	VFR CO2 3/4" uscita 21,8 M	CO ₂	140 bar
OML	04P008	VFR CO2 3/4" uscita 1/2" M	CO ₂	140 bar
OML	04P009	VFR CO2 1" uscita 3/4" M	CO ₂	140 bar
OML	04P010	VFR CO2 3/4" con leva	CO ₂	140 bar
OML	04P011	VFR CO2 1" con leva	CO ₂	140 bar
OML	04P012	VFR CO2 3/4" con nipplo 1/4" M	CO ₂	140 bar
OML	04P013	VFR CO2 1" con nipplo 1/4" M	CO ₂	140 bar
OML	04P003	VFR CO2 3/4" INOX	CO ₂	140 bar
OML	04P004	VFR CO2 1" INOX	CO ₂	140 bar
OML	04P020	VFR azoto 3/4" con manometro con contatto elettrico smontabile	AZOTO	234 / 353 bar
OML	04P021	VFR azoto 1" con manometro con contatto elettrico smontabile	AZOTO	234 / 353 bar
OML	04P023	VFR azoto 1" manometro smontabile	AZOTO	234 / 353 bar
OML	04P030	VFR azoto 3/4" inox - uscita diam. 25,4 M	AZOTO	234 / 353 bar
OML	04P031	VFR azoto 3/4" NPTG	AZOTO	234 / 353 bar
OML	04P032	VFR azoto 3/4"	AZOTO	234 / 353 bar
OML	04P033	VFR azoto 1"	AZOTO	234 / 353 bar
OML	04P034	VFR azoto 3/4" con manometro smontabile	AZOTO	234 / 353 bar
OML	04P035	VFR azoto 3/4" con leva manuale	AZOTO	234 / 353 bar
OML	04P046	VFR azoto 3/4" - uscita diam. 25,4 M	AZOTO	234 / 353 bar
OML	04P047	VFR azoto 1" - uscita diam. 25,4 M	AZOTO	234 / 353 bar
OML	04P036	VFR HFC 3/4"	HFC	63 bar
OML	04P037	VFR HFC 1"	HFC	63 bar
OML	04P038	VFR HFC 1" passaggi allargati	HFC	63 bar
OML	04P040	VFR HFC 1" USCITA W33 x 12 filetti	HFC	63 bar
OML	05P000	Valvola HFC 2"1/2	HFC	63 bar
OML	05P001	Valvola HFC 2"1/2 con pressostato	HFC	63 bar
OML	05P002	Valvola HFC 2"1/2 con manometro smontabile	HFC	63 bar
OML	05P003	Valvola HFC 2"1/2 con manometro con contatto elettrico smontabile	HFC	63 bar
OML	05P004	Valvola HFC 2"1/2 con manometro smontabile e pressostato	HFC	63 bar
OML	07P000	Valvola argon 1" con valvolina di carica e manometro con contatto elettrico	ARGON	230 / 353 bar
OML	07P001	Valvola argon 1"	ARGON	230 / 353 bar
OML	07P002	Valvola argon 1" manometro con contatto elettrico	ARGON	230 / 353 bar
OML	07P003	Valvola argon 1" con valvolina di carica	ARGON	230 / 353 bar
OML	07P020	Valvola pilota 1" scarica costante con manometro con contatto elettrico smontabile e valvolina di ricarica	ARGON	230/353 bar
OML	07P021	Valvola pilota 1" scarica costante con manometro con contatto elettrico smontabile	ARGON	230/353 bar
OML	07P022	Valvola pilota 1" scarica costante con manometro smontabile e valvolina di ricarica	ARGON	230/353 bar
OML	07P023	Valvola pilota 1" scarica costante con manometro smontabile	ARGON	230/353 bar
OML	07P030	Valvola 1" scarica costante con manometro con contatto elettrico smontabile e valvolina di ricarica	ARGON	230/353 bar
OML	07P031	Valvola 1" scarica costante con manometro con contatto elettrico smontabile	ARGON	230/353 bar
OML	07P032	Valvola 1" scarica costante con manometro smontabile e valvolina di ricarica	ARGON	230/353 bar
OML	07P033	Valvola 1" scarica costante con manometro smontabile	ARGON	230/353 bar



Issued:
Burgas, 19 June 2019

Embossed stamp of "Dedal - A&C" Ltd.

Manager:



arch. Galina Vasileva

